

## APPENDIX A

### ABBREVIATIONS AND DEFINITIONS

1. Certain words that appear frequently in this report are abbreviated as follows:

CINCPAC	Commander in Chief, Pacific
CINCPACAF	Commander in Chief, Pacific Air Force
CIRC	circular
CLD(S)	cloud(s)
CTR	center
DEF	defined
DEG	degree
DIA	diameter
DIV	divergence
ELLIP	elliptical
ELONG	elongated
FAFWC	Fuchu Air Force Weather Central, Fuchu Air Station, Japan
54WRS	54th Weather Reconnaissance Squadron, Andersen Air Force Base, Guam, M. I.
56WRS	56th Weather Reconnaissance Squadron, Yokota Air Base, Japan
FNWF	Fleet Numerical Weather Facility, Monterey, California
FT, ft	feet
FWC/JTWC	Fleet Weather Central/Joint Typhoon Warning Center, Guam, M. I.
INDEF	indefinite
ITC	Intertropical Zone of Convergence
JMA	Japan Meteorological Agency
JMG/PACOM	Joint Meteorological Group, Pacific Command
K (KILO) Time	Mariana Islands local time
KT(S), kt(s)	knot(s)
MI, mi	nautical miles
MB(S), mb(s)	millibar(s)
MPT	Mid-Pacific trough
NA	not applicable
NMC	National Meteorological Center (formerly JNWP, Joint Numerical Weather Prediction)
NWSC	National Weather Satellite Center (formerly METSATLAB)
ORIEN	oriented

QUAD (S)	quadrant(s)
RAD	radius
SFC	surface
$\theta_e$	Equivalent Potential Temperature
VW-1	Airborne Early Warning Squadron One, NAS Agana, Guam
WESTPAC	Western North Pacific Area
WND	wind
Z (Zulu) Time	Greenwich mean time

2. Points of the compass are abbreviated: N, SE, WNW, etc.
3. Latitude and longitude are abbreviated: 30N 140E, etc.
4. The following define and clarify certain words and phrases that appear in the tables, "Land Radar and Aircraft Fixes," Chapter IV.

- A. FIX NO. - This number corresponds to the number of the fix plotted on the "Best Track Chart."
- B. TIME - The date-time group of the fix
- C. LAT. - Latitude of the fix
- D. LONG. - Longitude of the fix.
- E. UNIT, METHOD & ACCY -
  - (1) UNIT - The unit that made the fix: 54 - 54WRS, 56 - 56WRS, 315 - 315th Air Division
  - (2) METHOD - The method used to make the fix: P - penetration, R - radar, T - triangulation, LND/RDR - land radar
  - (3) ACCY - The estimated accuracy of the fix in nautical miles
- F. MIN SLP MB - The minimum sea level pressure in millibars
- G. MAX SFC WND - The maximum observed surface wind in knots
- H. MIN 700MB HGT - The minimum 700mb height in feet
- I. MAX 700MB WND - The maximum 700mb wind in knots
- J. 700MB T/Td ( $^{\circ}$ C) - The maximum 700mb temperature and dewpoint in degrees centigrade

5. Synoptic tracks in the JTWC tropic area are:
  - A. Round Robin to two coordinates and flight time 10 plus hours with synoptic reports normally every hour. Legs

are flown at 1500 ft, 700mb and 500mb at JTWC request.

B. TRANSPAC diversion to one coordinate not less than 5 DEG off course. Flight altitude will normally be 700mb or 500mb.

6. An investigation is the traverse of a reconnaissance aircraft over an area containing a suspected circulation that has been assigned a cyclone number.

7. A fix is the determination of the position of a tropical cyclone at a precise time. Generally, the term "fix" is used when the position of the cyclone has been determined by a reconnaissance aircraft penetration or by air-borne, land or ship radar. In the case of a reconnaissance aircraft penetration, the actual fix may be based on one or all of the following: visual observation, radar, surface pressure, surface or upper level winds, constant pressure height, and temperature/dew point.

8. A sortie is defined as a flight by one aircraft with one or more objectives; i.e., it may make one or more fixes and/or one or more investigations on one or more tropical cyclones.

9. The term "tropical cyclone" or "cyclone" as used in this publication has two definitions dependent upon usage.

A. "Tropical cyclone" or "cyclone" is used to describe a suspected tropical cyclonic circulation which appears capable of intensification, and to which has been assigned a "cyclone number" for the purposes of reconnaissance and to assure that records regarding it are not confused with those of another circulation.

B. "Tropical cyclone" or "cyclone" is used in the general sense, e.g., "Typhoon JOAN was the most intense tropical cyclone of 1959," or "Tropical cyclones more frequently develop during August and September."

(1) A "Tropical Depression" as used by JTWC is a tropical cyclone with a confirmed cyclonic circulation for which warnings are being issued and whose surface wind speeds do not exceed 33 kts. Tropical depressions are numbered and often abbreviated TD.

(2) A "Tropical Storm" is a tropical cyclone in which the maximum surface wind speed is no more than 63 kts

but greater than 33 kts in warning status. Tropical storms are named and sometimes abbreviated TS.

(3) A "Typhoon" is a tropical cyclone located W of 180 DEG longitude in which the maximum surface wind speed is 64 kts or greater in warning status. Typhoons are named.

10. A "Stidd Diagram" or "checkerboard" is a chart on which a continuous plot of surface observations is maintained for a series of stations. The observations for each individual station are plotted in either a horizontal or vertical line.

11. The "M-2 Field" is the correction for the coriolis parameter applied to the 500mb double space mean.

12. Recurvature - that point at which the cyclone ceases movement to the W of N and commences moving to the E of N.

13. Vortices:

A. Embedded vortex of easterly wave - closed cyclonic circulation along easterly wave and separated from ITC

B. Junction vortex - closed cyclonic circulation at the junction of easterly wave and ITC

C. Embedded vortex of ITC - closed cyclonic circulation along ITC with absence of easterly wave

## APPENDIX B

### BIBLIOGRAPHY

1. Barry, F. A. et al, Handbook of Meteorology, New York: McGraw-Hill Book Company, Inc., 1945
2. Bell, G. J., "Surface Winds in Hong Kong Typhoons," U. S. - Asian Weather Symposium, February 1961.
3. Boyce, R. C. et al, "Tropical Cyclone Forecasting," University of Chicago Technical Report, June 1950
4. Bryson, Ried A., American Meteorological Society Bulletin, May 1951
5. Conover, L. F., "1961: Evaluation of Eye Fixes Obtained by Radar for Hurricane DONNA September 1960," National Hurricane Research Project, Report No. 50, Part I.
6. Cressman, G. C., Journal of Meteorology, April 1948
7. Dunn, G. E. and Miller, B. I., Atlantic Hurricanes, Baton Rouge: Louisiana State University Press, 1960
8. Erdei, E. A., "Miller-Moore Method Tested and Applied in the Western Pacific," 1961 Annual Typhoon Report, U. S. Fleet Weather Central/Joint Typhoon Warning Center, Guam
9. Fletcher, R. D., Journal of Meteorology, September 1945
10. Handbook of Geophysics for Air Force Designers, Chapter 5, "Wind," pages 5-8
11. Japan Meteorological Agency Technical Report #7, "Research Report on the Ise Bay Typhoon (VERA)," March 1961
12. Jordan, C. L. and Schatzle, F. J., "1961: The 'Double Eye' of Hurricane DONNA," National Hurricane Research Project, Report No. 50, Part II
13. Ramage, C. S., "1958: Hurricane Development," University of Hawaii Institute of Geophysics, Scientific Report No. 3

14. Riehl, H., Tropical Meteorology, New York: McGraw-Hill Book Company, Inc., 1954
15. Senn, H. V. and Hiser, H. W., "1961: Effectiveness of Various Radars in Tracking Hurricanes," National Hurricane Research Project, Report No. 50, Part I
16. Tilden, C. F., "A Test of the Miller-Moore Method of Forecasting Hurricane Movement as Applied to Pacific Typhoons of 1960," U. S. - Asian Weather Symposium, 13-17 February 1961
17. Waldron, C. G., "A Test of the Arakawa Method of Forecasting Typhoon Movement and Surface Pressure," 1961 Annual Typhoon Report, U. S. Fleet Weather Central/Joint Typhoon Warning Center, Guam
18. Yeh, T. C., Journal of Meteorology, April 1950

## APPENDIX C

### LIST OF ILLUSTRATIONS, CHARTS AND DATA

#### Operational

Surface Chart - THELMA, RUTH, SARAH -----	8
Gradient Wind Chart -----	9
Checkerboard/Stidd Diagram -----	10
Space Cross Section -----	11
Time Cross Section -----	12
Reconnaissance Data -----	13
Easterly Wave Continuity Graph -----	14
Long Wave Analysis -----	15

#### Research

Arakawa, FNWF, Miller-Moore Forecast Verification	266
Acceleration After Recurvature -----	270
Concentric Eye - EMMA, KAREN -----	273
Gust Factor vs Sustained Wind -----	278
JTWC Composite Forecast Tracks -----	238
JTWC, Miller-Moore, Arakawa, FNWF Forecast and Mean Tracks -----	246
Pulsation Case - SARAH -----	228
Typhoon Tracks, 1953-1962 -----	280

#### Summary of Tropical Cyclones

Best Steering Levels and Final Dispositions -----	46
Comparative Western Pacific Tropical Cyclone Data	29
Points of Typhoon Origin, 1953-1962 -----	47
Points of First Typhoon Intensity, 1953-1962 -----	48
Comparison of Circulation Areas -----	37
Tropical Cyclones of 1962 -----	49
Tropical Depression and Tropical Storm Tracks, 1962 -----	51
Typhoon Data Summaries -----	31
Typhoon Distribution By Month -----	30
Typhoon Forecast Errors, JTWC -----	57, 238
Typhoon Forecast Errors, Miller-Moore, FNWF, Arakawa -----	266
Typhoon Tracks, 1962 -----	34
Typhoon Tracks, 1953-1962 -----	280

#### Surveillance

1962 Aircraft Reconnaissance Data -----	26
---	----

GEORGIA	Best Track -----	61
	Best Track Blowup -----	62
	Radar and Reconnaissance Fixes -----	63
	Position and Forecast Verification Data -----	65
	24 Hour Forecast Posits -----	67
	24 Hour Forecast Posits Blowup -----	68
HOPE	Best Track -----	70
	Radar and Reconnaissance Fixes -----	71
	Position and Forecast Verification Data -----	72
	24 Hour Forecast Posits -----	73
IRIS	Best Track -----	75
	Radar and Reconnaissance Fixes -----	76
	Position and Forecast Verification Data -----	77
	24 Hour Forecast Posits -----	78
JOAN	Best Track -----	80
	Radar and Reconnaissance Fixes -----	81
	Position and Forecast Verification Data -----	82
	24 Hour Forecast Posits -----	83
KATE	Best Track -----	85
	Best Track Blowup -----	86
	Radar and Reconnaissance Fixes -----	87
	Position and Forecast Verification Data -----	88
	24 Hour Forecast Posits -----	89
	24 Hour Forecast Posits Blowup -----	90
	Damage Photos -----	91
LOUISE	Best Track -----	93
	Radar and Reconnaissance Fixes -----	94
	Position and Forecast Verification Data -----	96
	24 Hour Forecast Posits -----	98
NORA	Best Track -----	100
	Radar and Reconnaissance Fixes -----	101
	Position and Forecast Verification Data -----	103
	24 Hour Forecast Posits -----	105
OPEL	Best Track -----	107
	Radar and Reconnaissance Fixes -----	108
	Position and Forecast Verification Data -----	109
	24 Hour Forecast Posits -----	110

PATSY	Best Track -----	112
	Radar and Reconnaissance Fixes -----	113
	Position and Forecast Verification Data -----	114
	24 Hour Forecast Posits -----	115
RUTH	Best Track -----	117
	Radar and Reconnaissance Fixes -----	118
	Position and Forecast Verification Data -----	120
	24 Hour Forecast Posits -----	122
SARAH	Best Track -----	124
	Best Track Blowup -----	125
	Radar and Reconnaissance Fixes -----	126
	Position and Forecast Verification Data -----	128
	24 Hour Forecast Posits -----	130
	24 Hour Forecast Posits Blowup -----	131
	Radar Photos -----	228
THELMA	Best Track -----	133
	Radar and Reconnaissance Fixes -----	134
	Position and Forecast Verification Data -----	136
	24 Hour Forecast Posits -----	137
VERA	Best Track -----	139
	Radar and Reconnaissance Fixes -----	140
	Position and Forecast Verification Data -----	141
	24 Hour Forecast Posits -----	142
WANDA	Best Track -----	144
	Radar and Reconnaissance Fixes -----	145
	Position and Forecast Verification Data -----	146
	24 Hour Forecast Posits -----	147
	Damage Photos -----	148
AMY	Best Track -----	151
	Radar and Reconnaissance Fixes -----	152
	Position and Forecast Verification Data -----	154
	24 Hour Forecast Posits -----	156
	Damage Photo -----	157
CARLA	Best Track -----	159
	Radar and Reconnaissance Fixes -----	160
	Position and Forecast Verification Data -----	161
	24 Hour Forecast Posits -----	162

DINAH	Best Track -----	164
	Radar and Reconnaissance Fixes -----	165
	Position and Forecast Verification Data -----	167
	24 Hour Forecast Posits -----	169
EMMA	Best Track -----	171
	Best Track Blowup -----	172
	Radar and Reconnaissance Fixes -----	173
	Position and Forecast Verification Data -----	175
	24 Hour Forecast Posits -----	177
	Radar Photo -----	273
FREDA	Best Track -----	179
	Radar and Reconnaissance Fixes -----	180
	Position and Forecast Verification Data -----	181
	24 Hour Forecast Posits -----	182
GILDA	Best Track -----	184
	Best Track Blowup -----	185
	Radar and Reconnaissance Fixes -----	186
	Position and Forecast Verification Data -----	188
	24 Hour Forecast Posits -----	190
	24 Hour Forecast Posits Blowup -----	191
IVY	Best Track -----	193
	Radar and Reconnaissance Fixes -----	194
	Position and Forecast Verification Data -----	195
	24 Hour Forecast Posits -----	196
JEAN	Best Track -----	198
	Radar and Reconnaissance Fixes -----	199
	Position and Forecast Verification Data -----	200
	24 Hour Forecast Posits -----	201
KAREN	Best Track -----	203
	Radar and Reconnaissance Fixes -----	204
	Position and Forecast Verification Data -----	207
	24 Hour Forecast Posits -----	209
	Guam Barograph Traces -----	210
	Damage Photos -----	211
	FWC/JTWC Log -----	212
	Damage Photos -----	216
	Radar Photo -----	274

LUCY	Best Track -----	218
	Radar and Reconnaissance Fixes -----	219
	Position and Forecast Verification Data -----	220
	24 Hour Forecast Posits -----	221

